

News Release

Number: 2865

New Fluke 810 Vibration Tester provides on-the-spot, experience-based diagnosis of machine mechanical problems

Diagnostic technology provides expertise for maintenance teams who need answers now

Fluke Europe B.V., the European sales and service organization of Fluke Corporation, the global leader in handheld electronic test and measurement equipment, has introduced the unique Fluke 810 Vibration Tester. The most advanced troubleshooting instrument available for vibration, the Fluke 810 enables maintenance teams to rapidly collect data and diagnose and solve mechanical problems with an affordable, easy to use tool.

The handheld Fluke 810 is designed and programmed to diagnose the most common mechanical problems of unbalance, looseness, misalignment and bearing failures in a wide variety of mechanical equipment, including motors, fans, blowers, belts and chain drives, gearboxes, couplings, pumps, compressors, closed coupled machines and spindles.

When it detects a fault, the Fluke 810 identifies the problem and rates its severity on a four-level scale to help the maintenance professional prioritize maintenance tasks. It also recommends repairs. Context-sensitive on-board help menus provide new users with real-time guidance and tips.

Today many industrial maintenance teams work under severe financial and time constraints. The Fluke 810 Vibration Tester uses a simple step-by-step process to report on machine faults the



first time measurements are taken, without prior measurement history. The combination of plain-text diagnoses, severity ratings and repair recommendations helps users make better maintenance decisions and address critical problems first.

Typical vibration analyzers and software are intended for monitoring machine condition over the longer term, but they require special training and investment that may not be possible in many companies. The Fluke 810 is designed specifically for maintenance professionals who need to troubleshoot mechanical problems and quickly understand the root cause of equipment condition.

Mechanical diagnosis with the Fluke 810 begins when the user places the Fluke tri-axial TEDS accelerometer on the machine under test. The accelerometer has a magnetic mount and can also be installed by attaching a mounting pad using adhesive. A quick-disconnect cable connects the accelerometer to the Fluke 810 test unit. As the machine under test operates, the accelerometer detects its vibration along three planes of movement and transmits that information to the Fluke 810. Using a set of advanced algorithms, the 810 Vibration Tester then provides a plain-text diagnosis of the machine with a recommended solution.

A New Approach to Machine Diagnosis

Evaluating mechanical equipment typically requires comparing its condition *over time* to a previously established baseline condition. Vibration analyzers used in condition-based monitoring or predictive maintenance programs rely upon these baseline conditions to evaluate machine condition and estimate remaining operating life.

In contrast, the diagnostic technology in the Fluke 810 analyzes machinery operation and identifies faults by comparing vibration data to an extensive set of rules developed over years of field experience. The Fluke 810 determines fault severity using a unique technology to simulate a fault-free condition and establish a baseline for instant comparison to gathered data. This means that every measurement taken is compared to a “like new” machine.

Viewer Application Software

The Fluke 810 Vibration Tester includes Viewer PC software, compatible with Windows XP and Vista, to expand its data storage and tracking capability. With Viewer the user can:

New Fluke 810 VibrationTester

- Create machine setups at the computer keyboard and transfer the data to the 810 Vibration Tester.
- Generate diagnostic reports in a PDF file format.
- View vibration spectra in greater detail.
- Import and store JPEG images and Fluke .IS2 thermal images for a more complete view of a machine's condition.

The Fluke 810 Vibration Tester comes with embedded diagnostic technology, tri-axial TEDS accelerometer, accelerometer magnet mount, accelerometer mounting pad kit with adhesive, accelerometer quick-disconnect cable, laser tachometer and storage pouch, smart battery pack with cable and adapters, shoulder strap, adjustable hand strap, Viewer PC application software, mini-USB to USB cable, Getting Started Guide, illustrated Quick Reference Guide, User Manual CD-ROM and a hard carrying case.

The Fluke 810 Vibration Tester will start shipping in April 2010.

Click [here](#) for more information

About Fluke

Fluke's mission is to be the world leader in compact, professional electronic test tools. The company's products are used by technicians and engineers in service, installation, maintenance, manufacturing test, and quality functions in a variety of industries throughout the world. Fluke, founded in 1948, currently has offices in 13 European countries and distributes its products to over 100 countries internationally. The company's European revenues contribute approximately 40 percent of worldwide sales. Fluke's headquarters are located in Everett, Washington State and the company employs over 2,100 people internationally. Its European sales and service headquarters are located in Eindhoven, The Netherlands.

For further information:

Fluke (UK) Ltd. - 52 Hurricane Way – Norwich – Norfolk - NR6 6JB - United Kingdom
Tel.: (020) 7942 0700 - Fax: (020) 7942 0701
Web: www.fluke.co.uk/810

For further information:

Fluke Europe B.V. - P.O. Box 1186 - 5602 BD Eindhoven - The Netherlands
Tel. +31 40 2 675 213 (Gerda Meijer) – Fax +31 40 2 675 210
E-mail: Gerda.Meijer@fluke.nl – Internet: www.fluke.eu/810

Image IDs: 9847, 9848, 9825, 9826

New Fluke 810 VibrationTester

